MULTIPLE SCLEROSIS REFERRAL FORM (A-G)

PHONE 888.370.1724 | **FAX** 877.645.7514



Remove above portion before faxing. Please complete the prescription form in its entirety and fax with secure cover sheet to the number above.

	_				_									
PATIENT INFORMATION														
Last Name	First Name	DOB		Gender 🗆	M 🗆	F Last 4	SSN		Prim	nary Langua	age			
Address			City					State		ZII	D			
Email	Home Phone	e		Work	Phone)			(Cell Phone				
Primary Contact Method (check one) ☐ Cell Phone ☐ Hom	e Phone	none 🗆 Te	ext 🗆 Ema	il 🗆	Primary C	aregiver	□ DO	NOT CON	ITACT				
Primary Caregiver/Alt Contact Name	(If applicable)	Alt Co	ntact Emai	I					Alt	Contact Ph	one			
PRESCRIBER INFORMATION														
Name of Contact Sending Referral		Title			Р	referred Co	ontact Me	thod (ch	eck one)	□ Email	☐ Phone	□ Fax		
Referral Contact Email		Title	Office Phone						Office Fax					
Practice / Facility Name			Prescriber Name / Specialty											
Address		City						St	ate	ZI	ID.			
Prescriber State License #		State Medicaid UPIN #							-					
Treseriber State License #	DEA #	lude a copy of		IPI#	ock o	of incur	anco c		icuicuiu (51 II W				
				it allu be	JCK C	Ji ilisura	ance ca	aru						
CLINICAL INFORMATION - F		able clinical cha	rt notes											
ICD-10 Code G35 Multiple Scle	rosis Other:						Date of	Diagnos	is or Years	with Cond	lition			
Type of MS ☐ Relapsing ☐ Progre	essive Relapsing Primary	Progressive Secon	dary Progre	essive 🗆 Clir	nically	Isolate Syn	drome	Date	of Last R	elapse (if a	pplicable):			
□ New to Therapy □ Therapy Resta	art		E	xpected The	erapy S	Start Date/	Date Med	Needed						
Allergies □ NKDA □ Yes (pleas	se list)			☐ Other All	ergies	(please list)							
Past Meds Tried/Failed (please list)														
Other/Concomitant Medications (ple	ase list)													
Sample/Starter Provided? \square No \square Y	es, Provide Qty:	Date Provided:	P	atient Heigh	t (cm/	/in):	Weigh	t (kg/lbs):	Date Ob	tained:			
Ship to Address ☐ Home ☐ Preso	criber's Address 🗆 Other	(please list)												
PRESCRIPTION INFORMATION														
In order for a brand name produc or your state-specific required la										cations.				
MEDICATION	DOSE	DIRECTIONS									QTY	REFILLS		
☐ Avonex*	☐ 30 mcg PFS	☐ Maintenance D	ose: Inject 3	30 mcg (0.5	mL) IN	1 every 7 d	ays.				28-Day			
	☐ 30 mcg Autoinjector										(1 Box)			
☐ Betaseron*	□ 0.3 mg KIT (14 Vials)		Dose Titration: Weeks 1&2: Inject 0.0625 mg (0.25 mL) SubQ every other day											
		 Weeks 3&4: Inject 0.125 mg (0.5 mL) SubQ every other day Weeks 5&6: Inject 0.1875 mg (0.75 mL) SubQ every other day 									1 Box	1		
		Weeks 5&6: Inject 0.1875 mg (0.75 mL) SubQ every other day Weeks 7+: Inject 0.25 mg (1 mL) SubQ every other day												
		☐ Maintenance D	☐ Maintenance Dose: Inject 0.25 mg (1 mL) SubQ every other day							28-day				
☐ Briumvi	□ 150 mg	☐ Starting Dose:	150 mg on (day 1, follow	ed by	450 mg on	ce 2 week	s later			3 Vials			
		ose: 450 m	0 mg once every 24 weeks											
□ Copaxone*	□ 20 mg PFS	☐ Inject 20 mg Si	☐ Inject 20 mg SubQ once daily								30-day			
	☐ 40 mg PFS	☐ Inject 40 mg SubQ three times weekly, at least 48 hours apart on the same 3 days each week						28-day						
☐ Dalfampridine ER	□ 10 mg Tablet	☐ Take 10 mg by mouth twice daily, approximately 12 hours apart.								30-day				
□ Extavia [*]	□ 0.3 mg KIT (15 Vials)	□ Dose Titration:										+		
L LACOVIO	_ old mg mm (lo viale)	Weeks 1&:	 Weeks 1&2: Inject 0.0625 mg (0.25 mL) SubQ every other day 								1.000	,		
		 Weeks 3&4: Inject 0.125 mg (0.5 mL) SubQ every other day Weeks 5&6: Inject 0.1875 mg (0.75 mL) SubQ every other day 									1 Box	1		
			Weeks 7+: Inject 0.25 mg (1 mL) SubQ every other day											
		☐ Maintenance D	ose: Inject (0.25 mg (1 m	L) Sub	Q every ot	her day				30-day			
☐ Gilenya* *indicate First Dose Observation	□ 0.5 mg capsule		☐ Take 0.5 mg by mouth once daily. ☐ Continuation of therapy; FDO completed								30-day	,		
(FDO) status			□ FDO planned - Date:								50 day			
☐ Glatiramer Acetate	□ 20 mg PFS	☐ Inject 20 mg SubQ once daily									30-Day			
	☐ 40 mg PFS	☐ Inject 40 mg S	\square Inject 40 mg SubQ three times weekly, at least 48 hours apart on the same 3 days each week								28-Day			
□ Glatopa	□ 20 mg PFS	☐ Inject 20 mg Si	☐ Inject 20 mg SubQ once daily								30-Day			
	☐ 40 mg PFS	☐ Inject 40 mg S	☐ Inject 40 mg SubQ three times weekly, at least 48 hours apart on the same 3 days each week								28-Day			
									-		1 2			
			-											
Prescriber Signature		Date	:	Supervising	Physic	ian Signatu	re (where	require	d by state	law)	Date			
			-	Drand Nac-		must be select	urita)							
DAW (Dispense as Written)		Date		Brand Neces	sary (f	must nandv	ville)							

Note: The information contained in this document will become a legal prescription. Prescriber is to comply with his/her state specific Pharmacy and Medical Board guidelines such as e-prescribing, state specific prescription form, fax language, number of prescriptions allowed on a single prescription form, etc. If more than one page is required, make additional copies. Non-compliance with state specific requirements could result in outreach to the prescriber

MULTIPLE SCLEROSIS REFERRAL FORM (H-P)

PHONE 888.370.1724 | **FAX** 877.645.7514



Remove above portion before faxing. Please complete the prescription form in its entirety and fax with secure cover sheet to the number above.

	_											
PATIENT INFORMATION												
Last Name	First Name	DOB		Gender	_ M []F	Last 4 SSN		Pri	mary Lang	uage	
Address			City					State		Z	IP.	
Email	Home Phone			W	ork Phon	ie		'		Cell Phone	9	
Primary Contact Method (check one	e) Cell Phone Home	Phone	e □ To	ext 🗆 I	Email [□ Prir	mary Caregiver		NOT CO	NTACT		
Primary Caregiver/Alt Contact Name	(If applicable)	Alt Conta	ct Ema	il					Alt	Contact P	hone	
PRESCRIBER INFORMATION	١											
Name of Contact Sending Referral		Title			1	Prefe	rred Contact Me	ethod (c	heck one)	☐ Email	□ Phone	□ Fax
Referral Contact Email	,	Office Phone Office Fax							ax			
Practice / Facility Name			Prescriber Name / Specialty									
Address			City						State	ZII	2	
Prescriber State License #	DEA #		1	NPI#					Medicaid	UPIN#		
	* Please incl	ude a copy of the	e froi	nt and	back	of i	nsurance c	ard *				
CLINICAL INFORMATION - I	Please include applica	able clinical chart r	otes									
ICD-10 Code G35 Multiple Scle	erosis 🗆 Other:						Date of	Diagno	sis or Year	rs with Cor	ndition	
Type of MS ☐ Relapsing ☐ Progr	essive Relapsing Primary	Progressive Secondary	y Progr	essive \square	Clinically	y Isola	ate Syndrome	Dat	e of Last F	Relapse (if	applicable):	
☐ New to Therapy ☐ Therapy Rest	art		E	Expected	Therapy	Start	Date/Date Med	l Neede	d			
Allergies □ NKDA □ Yes (pleas	se list)			☐ Other	Allergies	s (plea	ase list)					
Past Meds Tried/Failed (please list)												
Other/Concomitant Medications (ple	ease list)											
Sample/Starter Provided? ☐ No ☐ \	es, Provide Qty:	Pate Provided:	F	Patient H	eight (cm	n/in):	Weigh	nt (kg/lb	s):	Date 0	Obtained:	
Ship to Address ☐ Home ☐ Pres	criber's Address	(please list)										
PRESCRIPTION INFORMATI	ON - Please Escribe i	f required by state	law									
In order for a brand name produ	ct to be dispensed, the p	orescriber must handw	vrite "E									
or your state-specific required la			not a v	ralia pre	scriptioi	n iori	m for writing	CONTROL	iea meai	ications.		DEFENS OF
MEDICATION	DOSE	DIRECTIONS	-+ 20		1 > C+++O	-+ \A/-	naka O 1 and 2				QTY	REFILLS
☐ Kesimpta HBV & quantitative serum Ig screening required before 1st dose	□ 20 mg Autoinjector		□ Loading Dose: Inject 20 mg (0.4 mL) SubQ at Weeks 0, 1 and 2. □ Maintenance Dose: Inject 20 mg (0.4 mL) SubQ monthly starting at week 4.							3 Units 1 Unit	0	
☐ Mayzent 1 mg daily dosing	□ 0.25 mg tablets	 Day 1&2: Take 	 □ Dose Titration to 1 mg: • Day 1&2: Take 0.25 mg PO once daily • Day 3: Take 0.50 mg PO once daily • Day 5+: Take 1 mg PO once daily 							12 Tablets	0	
		☐ Maintenance Dose: Take 1 mg PO once daily								28-Day		
☐ Mayzent 2 mg daily dosing	☐ 2 mg tablets	☐ Dose Titration to 2 mg: Reference www.mayzenthcp.com for the "Start Form: or call 877.629.9368 for the starter pack										
		☐ Maintenance Dose:	☐ Maintenance Dose: Take 2 mg PO once daily.									
□ Ocrevus [™] □ 300 mg/10 mL SDV □ Initial Dose: Infuse 300 mg IV on Day 1, followed by a second two weeks later						by a second 30	0 mg IV		2 Vials (6 Months)	, o		
			☐ Maintenance Dose: Infuse 600 mg IV once every six months (begin 6 months after the first 300 mg dose)						the	2 Vials (6 Months)	i	
☐ Plegridy Starter Pack	☐ PFS ☐ Autoinjector	☐ IM Initial Dose: Inject 63mcg IM on day 1 then inject 94mcg IM on day 15 ☐ SubQ Initial Dose: Inject 63mcg SubQ on day 1 then inject 94mcg SubQ on day 15							28-day			
☐ Plegridy' Maintenance Dose	☐ 125 mcg (PFS) ☐ 125 mcg (Autoinjector)	☐ IM Maintenance Do ☐ SubQ Maintenance						ays			28-Day	
Prescriber Signature		Date		Supervising Physician Signature (where required by state law) Brand Necessary (must handwrite)					e law)	Date		
DAW (Dispense as Written)		Date		Piana Ne	. cossaiy (, iiiust	nanawite)					

Note: The information contained in this document will become a legal prescription. Prescriber is to comply with his/her state specific Pharmacy and Medical Board guidelines such as e-prescribing, state specific prescription form, fax language, number of prescriptions allowed on a single prescription form, etc. If more than one page is required, make additional copies. Non-compliance with state specific requirements could result in outreach to the prescriber

MULTIPLE SCLEROSIS REFERRAL FORM (R-Z)

PHONE 888.370.1724 | **FAX** 877.645.7514



Remove above portion before faxing. Please complete the prescription form in its entirety and fax with secure cover sheet to the number above.

		,		reo orrein oc	<i>y</i> ac									
PATIENT INFORMATION														
Last Name	First Name	DOB		Gender □ M	□F	Last 4 SSN		Primary Langu	ıage					
Address			City				State	ZI	IP					
Email	Home Phone			Work Pho	ne			Cell Phone						
Primary Contact Method (check one)) Cell Phone Home	Phone Work Phone	е 🗆 Те	ext 🗆 Email	□ Pri	mary Caregiver	□ DO NO	T CONTACT						
Primary Caregiver/Alt Contact Name	(If applicable)	Alt Conta	act Emai	I				Alt Contact Ph	none					
PRESCRIBER INFORMATION	l													
Name of Contact Sending Referral		Title			Prefe	erred Contact Met	thod (check	one) 🗆 Email	☐ Phone	□ Fax				
Referral Contact Email				Office Phone			Of	fice Fax						
Practice / Facility Name		-		Prescriber Na	me / S	Specialty								
Address		C	City	ZIP										
Prescriber State License #	DEA #		N	NPI#	licaid UPIN #									
	* Please inclu	ide a copy of th	e fror	nt and back	of i	insurance ca	ard *							
CLINICAL INFORMATION - F														
ICD-10 Code ☐ G35 Multiple Scle		bic cililical cilare	110103			Date of	Diagnosis o	r Years with Con	dition					
· · · · · · · · · · · · · · · · · · ·	essive Relapsing Primary P	rogressive \square Secondar	ry Progre	essive □ Clinical	lv Isol			Last Relapse (if a						
	art	Togressive 🗆 Secondar						Lust Relapse (II t	аррисавте).					
Allergies □ NKDA □ Yes (pleas	_			Expected Therapy Start Date/Date Med Needed □ Other Allergies (please list)										
Past Meds Tried/Failed (please list)	C 113C)				.5 (pic									
Other/Concomitant Medications (please	asa list)													
Sample/Starter Provided? No Yes		ate Provided:	ь	Patient Height (c	m/in)·	Weight	t (kg/lbs):	Date O	btained:					
Ship to Address			F	atient height (ci	11/ 111/.	weight	(kg/ibs).	Date O	btaineu.					
PRESCRIPTION INFORMATION In order for a brand name production your state-specific required later than the state of the sta	ON - Please Escribe if to be dispensed, the pr	required by state rescriber must handv	vrite "E											
MEDICATION	DOSE	DIRECTIONS							QTY	REFILLS				
□ Rebif Titration Pack Initial Dosing	☐ PFS ☐ Rebidose Autoinjector Titration Packs Contain: 6x8.8 mcg devices 6x22mcg devices	□ Loading Dose (22 mcg target dose) (PFS Only): • Weeks 1&2: Inject 4.4 mcg SubQ three times weekly • Weeks 3&4: Inject 11 mcg SubQ three times weekly • Weeks 5+: Inject 22 mcg SubQ three times weekly Separate doses by at least 48 hours.							1 Pack (28-Day)	O				
		□ Loading Dose (44 mcg target dose): • Weeks 1&2: Inject 8.8 mcg SubQ three times weekly • Weeks 3&4: Inject 22 mcg SubQ three times weekly • Weeks 5+: Inject 44 mcg SubQ three times weekly Separate doses by at least 48 hours.							1 Pack (28-Day)	0				
□ Rebif Maintenance Dosing	☐ 22 mcg Autoinjector ☐ 22 mcg PFS	☐ Maintenance Dose: Inject 22 mcg (0.5 mL) SubQ three times weekly. Separate doses by at least 48 hours.							28-day					
	☐ 44 mcg Autoinjector ☐ 44 mcg PFS	☐ Maintenance Dose: Inject 44 mcg (0.5 mL) SubQ three times weekly. Separate doses by at least 48 hours.							28-day					
□ Tecfidera*	☐ Titration / Starter Pack 14 x 120 mg capsules 46 x 240 mg capsules	☐ Initial Dose: Take 1 twice daily.	120 mg b	by mouth twice o) mg by mouth	30-day								
	□ 240 mg capsule	☐ Maintenance Dose	: Take 24	40 mg by mouth	twice	daily.			30-day					
	□ 120 mg capsule	☐ Maintenance Dose: Take 120 mg by mouth twice daily.							28-Day					
□ Vumerity [™]	□ 231 mg capsule	g capsule				g by mouth twice daily for seven days. Then, take 462 mg wice daily.								
		☐ Maintenance Dose	: Take 4	62 mg (2x231 mg	g) by r	nouth twice daily	<i>'</i> .		30-day					
□ Zeposia	☐ Starter Kit Kit contains: 4x0.23 mg caps 3x0.46 mg caps 30x0.92 mg caps	☐ Initial Dose: Days 1-4: Take one 0.23 mg capsule by mouth once daily x 4 days Days 5-7: Take one 0.46 mg capsule by mouth once daily x 3 days Day 8 and thereafter: Take one 0.92 mg capsule by mouth once daily							1 Kit	0				
	□ 0.92 mg Capsule	☐ Maintenance Dose: Take one capsule by mouth once daily						□ 30-day						
Prescriber Signature		Date	:	Supervising Phys	ician	Signature (where	required by	y state law)	Date					
DAW (Dispense as Written)		Date	Ī	Brand Necessary (must handwrite)										

Note: The information contained in this document will become a legal prescription. Prescriber is to comply with his/her state specific Pharmacy and Medical Board guidelines such as e-prescribing, state specific prescription form, fax language, number of prescriptions allowed on a single prescription form, etc. If more than one page is required, make additional copies. Non-compliance with state specific requirements could result in outreach to the prescriber.