

# Instructions for Healthcare Providers

### To prescribe VUMERITY, please follow these steps:

# 1 After discussing VUMERITY with your patient, have your patient read the Patient Consent Information and, if interested, sign the indicated areas on the accompanying Start Form.

Biogen takes your patient's confidentiality very seriously. While patients are not required to sign the Start Form in order to receive VUMERITY, signing both lines will expedite their enrollment in Biogen support services, such as the **\$0 Copay Program** (call 1-800-456-2255 for eligibility guidelines). In addition, with both signatures Biogen will have access to your patient's prescription status should you or your patient need assistance.

### **2** Complete the rest of the Start Form.

Copy both sides of the patient's medical insurance card and pharmacy benefit card, if available. In some cases, the medical and pharmacy cards may be the same.

### **3** Give your patient the Instructions for Patients and Patient Consent Information pages.

Then, fax the Start Form to 1-855-474-3067. Prescriptions are only valid when received via fax.

Your patient will be contacted by a pharmacy in the VUMERITY Pharmacy Network to arrange for delivery of the prescription.

Please be sure to fill out all of the sections of the Start Form. Incomplete areas may delay the start of treatment.

# If you have any questions or want to learn more about VUMERITY, please call 1-800-456-2255 or visit VUMERITYHCP.com.



225 Binney Street Cambridge, MA 02142 1-800-456-2255 VUMERITY.com Please click <u>here</u> for Important Safety Information on page 2 and accompanying full <u>Prescribing Information</u>, including <u>Patient Information</u>.

- 1 Read the Patient Consent Information and sign as indicated in Sections A, B, and C of the Start Form. This will enable you to enroll in Biogen support services, such as the **\$0 Copay Program** (call 1-800-456-2255 for eligibility guidelines).
- **2** Be sure to include your email address in the space provided. By giving us your email address, you can stay up to date on the latest news about VUMERITY.
- 3 Your healthcare provider fills out the rest of the Start Form. You're done. Your healthcare provider will fax us the Start Form.

### What is VUMERITY<sup>™</sup> (diroximel fumarate)?

- VUMERITY is a prescription medicine used to treat people with relapsing forms of multiple sclerosis (MS), to include clinically isolated syndrome, relapsingremitting disease, and active secondary progressive disease in adults
- It is not known if VUMERITY is safe and effective in children

### **Important Safety Information**

### Do not take VUMERITY if you:

- have had an allergic reaction (such as welts, hives, swelling of the face, lips, mouth or tongue, or difficulty breathing) to diroximel fumarate, dimethyl fumarate, or any of the ingredients in VUMERITY
- are taking dimethyl fumarate

### Before taking and while you take VUMERITY, tell your healthcare provider about all of your medical conditions, including if you:

- have liver problems
- have kidney problems
- · have or have had low white blood cell counts or an infection
- are pregnant or plan to become pregnant. It is not known if VUMERITY will harm your unborn baby
- are breastfeeding or plan to breastfeed. It is not known if VUMERITY passes into your breast milk. Talk to your healthcare provider about the best way to feed your baby while using VUMERITY

#### **Tell your healthcare provider about all the medicines you take** including prescription and over-the-counter medicines, vitamins, and herbal supplements.

### What should I avoid while taking VUMERITY?

• Do not drink alcohol at the time you take a VUMERITY dose

### What are the possible side effects of VUMERITY? VUMERITY may cause serious side effects including:

- allergic reaction (such as welts, hives, swelling of the face, lips, mouth or tongue, or difficulty breathing).
  Stop taking VUMERITY and get emergency medical help right away if you get any of these symptoms
- PML (progressive multifocal leukoencephalopathy) a rare brain infection that usually leads to death or severe disability over a period of weeks or months. Tell

### What happens next?

- You can expect to receive several important phone calls. These calls will come from a Biogen Support Coordinator and a VUMERITY pharmacy.
  - You'll see 919-993-7000, a 1-800 number, or "unknown" on your caller ID. Please be sure to answer when you see these calls. They are intended to help you in getting started on VUMERITY as smoothly and quickly as possible.
- Your prescription can be shipped directly to your home.

### If you have any questions or want to learn more about VUMERITY, please call 1-800-456-2255 or visit VUMERITY.com.

your healthcare provider right away if you get any of these symptoms of PML:

- $\circ$   $\,$  weakness on one side of the body that gets worse
- clumsiness in your arms or legs
- vision problems
- changes in thinking and memory
- confusion
- personality changes
- decreases in your white blood cell count. Your healthcare provider should do a blood test to check your white blood cell count before you start treatment with VUMERITY and while you are on therapy. You should have blood tests after 6 months of treatment and every 6 to 12 months after that
- liver problems. Your healthcare provider should do blood tests to check your liver function before you start taking VUMERITY and during treatment if needed. Tell your healthcare provider right away if you get any of these symptoms of a liver problem during treatment.
  - severe tiredness
  - loss of appetite
  - pain on the right side of your stomach
  - have dark or brown (tea color) urine
  - yellowing of your skin or the white part of your eyes

### The most common side effects of VUMERITY include:

- flushing, redness, itching, or rash
- nausea, vomiting, diarrhea, stomach pain, or indigestion
- Flushing and stomach problems are the most common reactions, especially at the start of therapy, and may decrease over time. Taking VUMERITY with food (avoid high-fat, high-calorie meal or snack) may help reduce flushing. Call your healthcare provider if you have any of these symptoms and they bother you or do not go away. Ask your healthcare provider if taking aspirin before taking VUMERITY may reduce flushing

These are not all the possible side effects of VUMERITY. Call your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. **For more information go to dailymed.nlm.nih.gov** 

# Please see full <u>Prescribing Information</u>, including <u>Patient Information</u>.





Please read the following. If you agree, sign and date the corresponding section on the following page.

### I. Authorization to Share Health Information

By signing this Authorization, I authorize my healthcare provider, my health insurance company, and my pharmacy providers ("Healthcare Entities") to disclose to Biogen, and companies working with Biogen (collectively, "Biogen"), health information relating to my medical condition, treatment, and insurance coverage for Biogen to provide me with (i) support services (and related information and materials) related to any of Biogen's products, including but not limited to, online support, financial assistance services, compliance and persistency and other therapy support services, (ii) conduct data analytics, market research and other internal business activities, and (iii) information about Biogen's products, services, and programs and other topics of interest for marketing, educational or other purposes. Once my health information has been disclosed to Biogen, I understand that federal privacy laws no longer protect the information. However, Biogen agrees to protect my health information by using and disclosing it only for purposes authorized in this Authorization or as required by law or regulations. I understand that my pharmacy provider may receive remuneration from Biogen in exchange for the health information and/or for any therapy support services provided to me.

I understand that I may refuse to sign this Authorization. I further understand that my treatment (including with a Biogen product), payment for treatment, insurance enrollment or eligibility for insurance benefits are not conditioned upon my agreement to sign this Authorization; but if I do not sign it or later cancel it, I will not be able to receive Biogen's therapy support services.

I may cancel this Authorization at any time by mailing a letter to: Biogen, 5000 Davis Drive, PO Box 13919, Research Triangle Park, NC, 27709 or visiting *biogen.com/privacy*. Canceling this Authorization will end my consent to further disclosure of my health information to Biogen by my Healthcare Entities after they are notified of my cancellation, but will not affect previous disclosures by them pursuant to this Authorization. Canceling this authorization will not affect my ability to receive treatment, payment for treatment, or my eligibility for health insurance.

This Authorization expires ten (10) years, or such shorter timeframe required by applicable law, from the day I sign it as indicated by the date next to my signature unless otherwise canceled earlier as set forth above.

Please sign in the space in Section (A) on the following page to authorize your consent.

### II. Patient Services and Marketing/Other Communications Authorization

#### **Patient Services**

I authorize Biogen, and companies working with Biogen, to provide me with support services related to any of Biogen's products, including but not limited to: online support, financial assistance services, compliance and persistency and other therapy support services, as well as any information or materials related to such services. I agree and authorize that any nurse providing such support services is not employed by my healthcare professional. I authorize Biogen, and companies working with Biogen, to contact me to provide such services and information by mail, email, fax, telephone call, text message (including calls and text messages made with an automatic telephone dialing system or a prerecorded voice), and other mutually agreed upon means. I also authorize Biogen, and companies working with Biogen, to use my health information in connection with the services, including, without limitation, sharing such information with my healthcare provider, insurance provider, or pharmacy. I also authorize the disclosure of my health information to specific individuals that I have designated.

#### **Marketing/Other Communications**

I further authorize Biogen, and companies working with Biogen, to contact me by mail, email, fax, telephone call, and text message for marketing purposes or otherwise provide me with information about Biogen's products, services, and programs or other topics of interest, conduct market research or otherwise ask me about my experience with or thoughts about such topics. I understand and agree that any information that I provide may be used by Biogen to help develop new products, services, and programs. Note that Biogen will not sell or transfer your personal data to any unrelated third party for marketing purposes without your express permission. I understand that I may revoke this authorization and choose not to receive services or information from Biogen by mailing a letter to the address above or visiting *biogen.com/privacy*.

Please sign in the space in Section **B** on the following page to authorize your consent.

### III. Opt-in for Automated Marketing Calls and Text Messages

I also consent to receive autodialed and prerecorded marketing calls and text messages from Biogen, and companies working with Biogen, at the telephone number(s) that I provide. I understand that my consent is not required as a condition of purchasing or receiving any goods or services from Biogen. I understand that I may revoke this authorization and choose not to receive automated marketing calls and text messages from Biogen by mailing a letter to the address above or visiting *biogen.com/privacy*.

Please check the box in Section **C** on the following page to authorize your consent.

Please click <u>here</u> for Important Safety Information on page 2 and accompanying full <u>Prescribing Information</u>, including <u>Patient Information</u>.

| START FORM  | Pho                      | one: 1-800-456-2255                | Fax: 1-855-474                              | -3067          |           | UMERITY <sup>™</sup><br>roximel fumarate) <sup>delayed-releas</sup> |
|---|--------------------------|------------------------------------|---|----------------|-----------|---|
| I. Authorization to Share Heal  | th Information           |                                    | Patient Informatio                          | <b>n</b>       | (ui       | VUM-US-0010 11/19   |
| I have read and understand the Authorization to Share Health Information and agree to the terms.  |                          |                                    | Male Female                                 |                |           |   |
|   |                          |                                    |   |                | 1.1       |   |
| Signature of patient or patient repre   | sentative                | Date                               |   |                |           |   |
| If signed by patient representative, plea   | ase explain authority to | o act on behalf of the natient.    | First name                                  |                | Last n    | ame   |
| in signed by patient representative, piec   |                          |                                    |   |                |           |   |
|   |                          |                                    | Address                                     |                |           |   |
| II. Patient Services and Marketing/Other Communications Authorization<br>I have read and understand the Patient Services and Marketing/Other Communications<br>Authorization and agree to the terms.  |                          |                                    | City  | 1              | State     | Zip   |
|   |                          |                                    |   |                |           |   |
| Signature of patient or patient repre   | sentative                | Date                               | Date of birth                               | Email address  | _         |   |
|   |                          |                                    |   |                |           | erred number<br>o leave voicemail and/or                            |
| In addition, I authorize the disclosure individual(s) (optional):   | or my nearth mormat      | ion to the following designated    | Home phone (patient)                        |                | text      | message   |
|   |                          |                                    |   |                |           | erred number  |
| Care partner (print name)   |                          | Relationship                       | Cell phone (patient)                        |                |           | o leave voicemail and/or<br>message                                 |
|   |                          |                                    | Best time to reach me:                      |                |           |   |
| Care partner email  |                          | Phone                              |   |                |           | Livening  |
|   |                          |                                    |   |                |           |   |
| Prescription for VUMERITY   |                          |                                    | Statement of Medi<br>Primary diagnosis: ICE |                |           |   |
| Titration Starter Pack Rx for VUN   | AERITY:                  |                                    |   |                |           |   |
| 231 mg x 1 PO BID<br>462 mg (231 mg x 2) PO BID   | x7 days<br>x23 days      | #14 capsules<br>#92 capsules       | Current or most recent                      | therapy        |           | Dates/Duration  |
| No refills  | X25 00y5                 | #32 capsules                       | Other therapy                               |                |           |   |
| Months 2–13   |                          |                                    |   |                |           | No prior disease-<br>modifying therapies                            |
| Maintenance Rx for VUMERITY:     462 mg (231 mg x 2) PO BID   | x90 days                 | #360 capsules 3 refills            |   |                |           |   |
| 462 mg (231 mg x 2) PO BID  | x30 days                 | #120 capsules 11 refills           | Height: inches/cm                           | Weight: lbs/kg | Allergies |   |
| ee below or attached for Healthca   | e Provider Instructi     | ions:                              | riegne inches/erri                          | Weight. IDS/Kg | Allergies |   |
|   |                          |                                    | Prescriber Inform                           | nation         |           |   |
| QuickStart Brogram (Ortional at   | aa aast to watiout fay a | one weight include a tight and the | First name                                  |                | Last na   | Imp   |
| QuickStart Program (Optional, at<br>Yes, I authorize Biogen to provide up   | to 4 months of VUMER     | RITY to my patient at no cost (one | . inseriaine                                |                | 205010    |   |
| titration starter pack and ongoing Maintenance Rx, as needed) until the patient's prescription<br>coverage is secured. I authorize Biogen to forward this prescription to the QuickStart Program<br>designated pharmacy to dispense VUMERITY directly to the above-named patient. Patient<br>signatures are needed for (A) and (B) above to expedite enrollment in the QuickStart Program.<br>*Patients insured through Medicaid, Medicare, VA, DOD, TRICARE®, and other governmental<br>insurance are NOT eligible for this program. TRICARE® is a registered trademark of the<br>Department of Defense, DHA. All rights reserved. |                          |                                    | Address                                     |                |           |   |
|   |                          |                                    | City  |                | State     | Zip   |
| QuickStart Rx for VUMERITY:   |                          |                                    | Phone                                       |                | Fax       |   |
| Titration Rx  |                          |                                    |   |                |           |   |
| 231 mg x 1 PO BID<br>462 mg (231 mg x 2) PO BID   | x7 days<br>x23 days      | #14 capsules<br>#92 capsules       | NPI #                                       |                | Tax ID    | #   |

| 462 mg (251 mg x 2) PO bid | xzs uays | #92 capsules  |             |
|----------------------------|----------|---------------|-------------|
| Maintenance Rx             |          |               |             |
| 462 mg (231 mg x 2) PO BID | x30 days | #120 capsules | [3 refills] |
|                            |          |               |             |

#### Medical Benefit Information

| Primary insurance       | Policy #                | + Pharmacy Benefit Information   |
|-------------------------|-------------------------|--|
| Group #                 | Insurance company phone | Attach copies of both sides of patient's pharmacy benefit card(s).     Check if no coverage     Check if no coverage |
|                         |                         | Amber Pharmacy   |
| Policyholder first name | Policyholder last name  | Patient's preferred specialty pharmacy   |

Clinical/Hospital affiliation

Office contact name

#### **Prescriber Authorization\***

★

| I authorize Biogen as my designated agent and on behalf of my patient to (1) forward the ab<br>the above-named patient and (2) forward the above prescription, by fax or other mode of del<br>prescribing VUMERITY therapy is for a primary diagnosis of ICD-10: G35, and I will be supe |  |
|--|--|
| Prescriber signature (substitution permitted). Signature stamps not acceptable.  | Prescriber signature (dispense as written). Signature stamps not acceptable. |
| Date   | Date   |
| Date   | Date   |